
Hanger/Garment Cover

Figure #1






Figure #2




Figure #3





Figure #4



embroideryarts a division of INTARSIA ARTS

a division of INTARSIA ARTS 17 Fourth Avenue Nyack, NY 10960 1–888–238–1372 (tel) 914–358–5546 | (fax) 914–358–2696

Directions for hanger/garment cover / July 2000

This project courtesy of Pauline Richards.

Pauline Richards, an embellishment expert, publishes the Total Embellishment Newsletter, currently beginning its fourth year. She is known for her innovative stories in SEW NEWS, Sewing & Serger Update Newsletters and her work with several sewing machine and trim companies. Pauline works with Linda Griepentrog, Editor of SEW NEWS as co-director of the magazine's SEW N'Go educational shopping tours. She holds an M. Ed degree and has 17 years of teaching experience on the high school and college levels.

For more information on Total Embellishment Newsletter, visit their website at:

http://www.getcreativeshow.com/total_embellishment.htm

Step 1. Print the illustrations and instructions.

These are .pdf files, and require Adobe Acrobat Reader software in order to view and print.

Step 2. Review instructions and materials required (materials list at the end of these instructions).

Step 3. Draw the pattern. (see Figure 1)

Choose a sturdy hanger and position the hanger on the paper and trace around the hanger.

Add a 2" wide seam allowance around all the edges. Your pattern should be 19"-20" wide and 8 1/2" high.

Fold the pattern in half vertically and true up all edges.

Step 4. Cut fabric.

Using the pattern that you have created, cut two identical pieces of fleece and fabric, one for the front and one for the back.

Step 5. Embroidery.

Embroider a letter or letters of your choice on the front panel. The monogram should be centered left to right, and the center of the monogram should be approx. 4" from the top of the panel.

Step 6. Sewing.

Position the fleece behind each front and back section and pin to secure. Stitch around each section.

Step 7. Quilting (optional).

Using an air-soluble marking pen, divide the front section into 1" squares. Leave the immediate area around the monogram unmarked.

Machine quilt along the marked lines.

Step 8. Edging. (see Figure 2, Figure 3)

Bind the bottom and top edges of each section.

Prepare piping by securing bias cut fabric strips around the cording.

Pin the prepared cording to the curved edges of the front section, right sides together.

Remove filler cord at the ends of each section.

Step 9. Assembly. (see figure 4)

Turn the bias fabric back to finish each end and secure with pins.

Sew the piping into place.

Pin the back and front sections right sides together and sew directly over the stitching line that secures the piping into place.

Turn the hanger cover right sides out and slip over your hanger.

Congratulations! Your project is complete.

Materials

You will need:

- 1. Fabric: 1/4 yard of 45" wide fabric.
- 2. One package 1/4" wide double fold, bias binding or additional fabric from which to cut matching bias.
- 3. One sturdy hanger.
- 4. Thread.
- 5. 1/4 yard fleece.
- 6. Pattern tracing paper or tissue paper.
- 7. Air-soluble marking pen.
- 8. 24" of 1/4" wide cording.